

Two-colors mixed petawatt laser designed for fast ignition experiment

Wednesday, 24 October 2018 08:30 (20 minutes)

Here we report a novel design of a heating laser for the fast ignition, combining fundamental and second harmonics lights. Such a two-colors laser is expected to heat a dense core more efficiently than a laser only with a fundamental light. We chose a LBO (LiB₃O₅) crystal which can convert a focusing beam due to its large acceptance of phase matching angle. We experimentally demonstrated the second harmonic conversion with efficiency of 60% at the maximum. The LBO crystal shows a high damage threshold more than 5 J/cm² with a down-scale LFEX beams. A full size (10 cm×10 cm×2 mm) LBO crystal was manufactured completely and is ready to install for the full-scale LFEX operation.

Country or International Organization

Japan

Paper Number

IFE/1-1

Primary author: Dr ARIKAWA, Yasunobu (Insituteof Laser Engineering Osaka University)

Co-authors: Prof. YOGO, Akifumi (Institute of Laser Engineering, Osaka University); Dr TU, Heng (Technical Institute of Physics and Chemistry, Chinese academy of science,); Prof. NISHIMURA, Hiroaki (Institute of Laser Engineering, Osaka University); Mr MORITA, Hiroki (Institute of Laser Engineering, Osaka University); Prof. AZECHI, Hiroshi (Institute of Laser Engineering, Osaka University); Prof. SHIRAGA, Hiroyuki (Institute of Laser Engineering, Osaka University); Dr SAKAGAMI, Hitoshi (NIFS); Prof. KAWANAKA, Junji (Institute of Laser Engineering, Osaka University); Mr LAW, King Fai Farley (Institute of Laser Engineering Osaka University); Mr HIDETAKA, Kishimoto (Institute of Laser Engineering, Osaka University); Prof. YOSHIMURA, Masashi (Institute of Laser Engineering, Osaka University); Prof. NAKAI, Mitsuo (Institute of Laser Engineering, Osaka University); Dr ALESSIO, Morace (Institute of Laser Engineering, Osaka University); Prof. MIYANAGA, Noriaki (Institute of Laser Engineering, Osaka University); Prof. KODAMA, Ryosuke (Institute of Laser Engineering, Osaka University); Dr LEE, Seungho (Institute of Laser Engineering, Osaka university); Dr TOKITA, Shigeki (Institute of Laser Engineering, Osaka University); Prof. FUJIOKA, Shinsuke (Institute of Laser Engineering, Osaka University); Mr KAMBAYASHI, Shohei (Institute of Laser Engineering, Osaka University); Dr SAKATA, Shohei (Institute of Laser Engineering, OsakaUniversity); Dr JOHZAKI, TOMOYUKI (Graduate School of Engineering, Hiroshima University); Prof. SENTOKU, Yasuhiko (institute of Laser engineering, Osaka university); Dr ZHAO, Yin (Technical Institute of Physics and Chemistry, Chinese academy of science,); Dr ABE, Yuki (Institute Of Laser Engineering, Osaka University); Prof. HU, Zhanggui (Technical Institute of Physics and Chemistry, Chinese academy of science,); Dr FAN, feidi (Technical Institute of Physics and Chemistry, Chinese academy of science,); Dr HATA, masayasu (institute of laser engineering Osaka university); Dr KOJIMA, sadaoki (dvanced Research Center for Beam Science, Institute for Chemical Research, Kyoto University)

Presenter: Dr ARIKAWA, Yasunobu (Insituteof Laser Engineering Osaka University)

Session Classification: IFE/1 Inertial Fusion Experiments & Theory

Track Classification: IFE - Inertial Fusion Experiments and Theory