

Graphene fiber for the personal protection, and mitigating the nuclear and radiological accident consequences

Radioactive material dispersion and attacking nuclear facilities could be used for terrorism or other criminal acts. These incidents would lead to serious consequences such as human health and environment damage, creating panic, and affecting economic and political stability. Since 1993 to 31 December 2018, ITDB shows a total of 3497 incidents of unauthorized activities and events involving nuclear and other radioactive material, where 285 incidents were related to the illicit trafficking or malicious use [1]. These incidents lead to concerns of a possible radiological or nuclear terrorist attack.

Radiological terrorism using radiological dispersal device (RDD) is more likely to occur due to the relatively large number of commercially used radioactive materials and hundreds of nuclear facilities worldwide. With the increasing possibility of these incidents, the necessity of effective radionuclide adsorbing material is increased for the personal protection of the first responder as well as cleaning up radioactive materials and decontamination of buildings.

Graphene fiber could ensure the protection against gaseous radioactive elements and various chemical agents through the adsorption. Graphene-based materials have several benefits over currently used activated carbon such as large specific surface area up to $\sim 3000 \text{ m}^2/\text{g}$ [2], high chemical/thermal stability, tunable specific surface area and pore structure, relatively low cost and easy scale-up associated with the manufacturing of the porous graphene carbons [3]. The high specific surface area of the graphene fiber increases the adsorption capacity. Different functionalized graphene fiber also could be capable to selectively adsorb different radioactive gases at various levels of relative humidity and conditions.

Various studies on graphene-based materials demonstrated the potential opportunities of graphene fiber for the use of personal protection through the adsorption of gaseous toxic elements. Anna Yu et.al shows the interaction of GO with actinides including Am (III), Th(IV), Pu(IV), Np(V), U(VI) and typical fission products Sr(II), Eu(III) and Tc(VII), along with their sorption kinetics [4]. Higher sorption affinity towards the toxic elements from different solution makes graphene oxide a promising new material for the radioactive nuclide removal and containment. Graphene-enhanced composite material GO/amidoxime hydrogel (AGH) shows the selective removal of uranium from aqueous solutions.[5]. In the case of CO₂, H₂, CH₄ adsorption, the performance of graphene-based adsorbents is often higher, especially at high pressure [2][3]. Also, Graphene-based materials have potential opportunities for nuclear decommissioning [6].

This paper presents the effectiveness of graphene fiber as a potential sorbent of iodine (I₂(g)). Also, the performance of silver functionalized graphene fiber is investigated, which would allow more selectively capture of iodine among other different elements. The graphene oxide fibers are produced through the wet spinning process using a coagulation bath of 5wt% CaCl₂ into the solution of ethanol/water (1/3 v/v), which is shown in Fig.1. For the silver functionalized graphene fiber, silver nitrate (AgNO₃) solution is added with the graphene oxide solution. Figure 2 shows the SEM images of the fabricated graphene oxide fiber and Ag functionalized graphene oxide fiber. The graphene fibers are exposed to a saturated iodine environment through the use of a desiccator, in which solid iodine crystals are placed. Iodine uptake is determined by the change in mass of the tested samples before and after exposure to the saturated iodine environment.

References

- [1] T.I. Incident, T. Database, T. Itdb, T. Itdb, T.F. Sheet, T. Itdb, I. Nuclear, S. Plan, T. Itdb, IAEA INCIDENT AND TRAFFICKING DATABASE (ITDB) 2019 Fact Sheet, (2019).
- [2] B. Szcz, J. Choma, M. Jaroniec, Gas adsorption properties of graphene-based materials, 243 (2017) 46–59. doi:10.1016/j.cis.2017.03.007.
- [3] S. Gadipelli, Z.X. Guo, Progress in Materials Science Graphene-based materials: Synthesis and gas sorption, storage and separation, J. Prog. Mater. Sci. 69 (2015) 1–60. doi:10.1016/j.pmatsci.2014.10.004.
- [4] P. Chem, C. Phys, D. V Kosynkin, J.M. Tour, Graphene oxide for effective radionuclide removal †, (2013) 2321–2327. doi:10.1039/c2cp44593j.
- [5] F. Wang, H. Li, Q. Liu, Z. Li, R. Li, H. Zhang, L. Liu, G.A. Emelchenko, J. Wang, OPEN A graphene oxide / amidoxime hydrogel for enhanced uranium capture, Nat. Publ. Gr. (2016) 1–8. doi:10.1038/srep19367.
- [6] P. Davies, S. Walton, S. Ashley, A. Tzalenchuk, C. Williams, P. Wiper, The Potential Applications of Graphene (and Related Compounds) Relevant to the NDA 's Decommissioning Mission Direct Research Portfolio Purchase Order: Date: Contractor Ref: Issue: NS4145-500-005, (2017).

Gender

Male

State

Bangladesh

Primary authors: Mr RYU, Ho Jin (Associate Professor, Dept. of Nuclear and Quantum Engineering Korea Advanced Institute of Science and Technology); Mr AHMED, Md. Mobasher (Scientific Officer, Center for Research Reactor, AERE, Bangladesh Atomic Energy Commission (BAEC), Dhaka-1000, Bangladesh)

Presenter: Mr AHMED, Md. Mobasher (Scientific Officer, Center for Research Reactor, AERE, Bangladesh Atomic Energy Commission (BAEC), Dhaka-1000, Bangladesh)

Track Classification: CC: Emergency preparedness and response and nuclear security interfaces