

# Raman shifts and plasma screening in Warm Dense Copper

Thursday, 18 May 2023 12:20 (20 minutes)

We show data and first analysis of a recent (Feb 2022) experiment on the spectroscopic investigation of XFEL-heated Cu foil targets. Cu foils were irradiated by the tightly focused XFEL beam ( $\sim 1\mu\text{m}$  focus, up till  $300\mu\text{J}$  in energy, European XFEL), which heats the target to approximately 100 eV during its duration ( $\sim 25$  fs). The XFEL photon energy was varied in the range 8.8-9.8 keV to scan resonances and K edges of various charge states; three spectrometers were observing the emission  $K\alpha$  and  $K\beta$  lines and their satellites. The experimental data are compared to the SCFly simulations and the details are analyzed by using the FAC atomic code.

First of the many interesting phenomena, the shift of the  $K\alpha$  satellite lines is discussed. Each of the  $K\alpha$  lines from ions with different occupancy of the L shell is shifting both due to the charge state of the emitting ion (i.e. number of electrons in M shell) and due to electron temperature via plasma screening. Both these shifts are experimentally observed and well described by using the FAC calculations. The observed shifts of the absorption K edges are also observed and agrees well to the Stewart-Pyatt model newly included in the FAC code, when the temperature parameter is adjusted to account for the strongly non-thermal electron distribution.

## Presenting Author

Michal Šmíd

## Presenting Author Affiliation

HZDR

## Presenting Author Gender

Male

## Country

Germany

## Presenting Author Email Address

m.smid@hzdr.de

**Primary author:** ŠMÍD, Michal (Helmholtz Zentrum Dresden Rossendorf)

**Presenter:** ŠMÍD, Michal (Helmholtz Zentrum Dresden Rossendorf)

**Session Classification:** High Energy Density Plasmas and Powerful Light Sources

**Track Classification:** High Energy Density Plasmas and Powerful Light Sources