Contribution ID: 54

Type: Oral

## Fast-ion transport optimization using the integrated TGLF-EP+Alpha Alfvén eigenmode transport model

Friday, 10 December 2021 16:40 (20 minutes)

Control of Alvfén eigenmodes (AEs) driven by energetic neutral beam injection (NBI) ions in DIII-D is explored with the TGLF-EP+Alpha model. TGFL-EP+Alpha is a reduced model assuming stiff-transport informed by DIII-D experiments and nonlinear gyrokinetic simulations. In DIII-D shot 180625, neutron deficit below classical predictions (a proxy for AE transport of fast ions) is experimentally reduced by up to 35% by moving NBI off axis and/or moving electron cyclotron current drive to on-axis. TGLF-EP+Alpha captures these trends, predicting the evolving neutron signal to well within 10% over the entire current ramp. Adding in the energetic-particle diffusivity predicted to in TGLF-EP to the power-balance analysis brings TGLF thermal-ion temperature profiles into much better agreement with measurements as well. The physics-based TGLF-EP+Alpha model improves over ad hoc energetic particle diffusivity currently used in integrated modeling workflows. It's inexpensive enough for scenario optimization and validated over a wide parametric range.

Work supported by U.S. Department of Energy under Grants DE-FG02-95ER54309, DE-FC02-08ER54977, DE-SC0018108, DE-AC05-00OR22725, and DE-FC02-04ER54698.

## Speaker's Affiliation

UC San Diego

## Member State or IGO

United States of America

Primary authors: BASS, Eric (UC San Diego); COLLINS, Cami (General Atomics)

Co-authors: VAN ZEELAND, Michael (General Atomics); WALTZ, Ronald E. (General Atomics)

Presenter: BASS, Eric (UC San Diego)

Session Classification: Multiscale Physics and Instabilities in Burning Plasmas

Track Classification: Transport of Energetic Particles