Contribution ID: 9 Type: not specified

## Measurement of the cross section for the $13C(\alpha,n)16O$ reaction and determination of the cross section for the $16O(n,\alpha)13C$ reaction

Thursday, 11 November 2021 14:50 (25 minutes)

The angular dependence of the differential cross-sections for the  $13C(\alpha,n0)16O$  reaction was measured in the energy range of 2.0-6.2 MeV using the time-of-flight method for separating neutrons corresponding to the ground state of the residual nucleus. The integrated total cross-sections were derived from the measured data and the cross-sections for the  $16O(n,\alpha0)13C$  reaction were determined using the reciprocity theorem. The cross-sections obtained for the reaction  $16O(n,\alpha0)13C$  support the evaluation given in the ENDF/B-VIII.0 library.

**Primary authors:** PRUSACHENKO, Pavel (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia); BOBROVSKY, Timofey (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia); BONDARENKO, Ivan (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia); Dr BOKHOVKO, Michael (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia); KETLEROV, Vladimir (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia); KETLEROV, Vladimir (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia)

**Presenter:** PRUSACHENKO, Pavel (Insitute for Physics and Power Engineering (IPPE), Bondarenko sq. 1, Obninsk 249033, Russia)

**Session Classification:** Session 4