Contribution ID: 3110

# Energetic-electron-driven Geodesic Acoustic Mode Interaction with Microtearing Mode for Improved Confinement on HL-3 Tokamak

Thursday 16 October 2025 12:09 (1 minute)

## Speaker's email address

wangshiqin@swip.ac.cn

## **Speaker's Affiliation**

Southwestern Institute of Physics, Chengdu, People's Republic of China

## Member State or IGO

China

## **Gender Survey (Speaker Only)**

Ms

Author: WANG, Shiqin (Southwestern Institute of Physics)

**Co-authors:** LIANG, Anshu; WANG, Ao; YU, Deliang; XIAO, Guoliang; WANG, Haoxi; YU, Liming; JIANG, Min; HAN, Mingkun; GONG, Shaobo; SUN, Tengfei; CHEN, Wei; GUO, Wenping; Dr ZHONG, Wulyu; Prof. ZOU, Xiaolan (CEA, IRFM); Prof. DUAN, Xuru (Southwestern Institute of Physics); QIULEI, Yang; ZHANG, Yipo; ZHU, Yiren; Dr LI, Yong Gao; ZHOU, Yu; SHI, Zhongbing

Presenter: WANG, Shiqin (Southwestern Institute of Physics)

Session Classification: Posters 3

**Track Classification:** EX - Magnetic Fusion Experiments including Validation: EX-C - Confinement