25th IAEA Fusion Energy Conference - IAEA CN-221



Contribution ID: 372 Type: Oral

Status of Upgrading Project of Tokamak T-15

Thursday, 16 October 2014 17:00 (20 minutes)

Status of T-15 upgrade tokamak is presented. T-15 upgrade tokamak has the following parameters: R=1.48 m, a=0.67 m, B=2.0 T, Ipl=2.0 MA. Poloidal system is capable of realizing the divertor both with single null and double null magnetic configuration and plasma shape with elongation k95=1.7-1.9 and triangularity delta 0.3-0.4. Installation will equipped with the auxiliary plasma heating and current drive (Paux =15 - 20 MW) systems. One of the main tasks of experimental study program on T-15 upgrade tokamak is the obtaining of physical and technological data for fusion neutron source creation. The design of electromagnetic system and vacuum chamber and also the modernization of engineering systems are described. Time schedule of T-15 upgrade tokamak assembling is presented. Physical start-up of the T-15 upgrade tokamak is outlined in 2016.

Paper Number

FIP/3-2

Country or International Organisation

Russian Federation

Primary author: Mr AZIZOV, Englen (Russian Federation)

Co-authors: Dr MELNIKOV, Alexandr (National Research Centre 'Kurchatov Institute', Institute of Tokamak Physics); Dr SUSHKOV, Alexey (National Research Centre 'Kurchatov Institute', Institute of Tokamak Physics); Dr MINEEV, Anatoliy (Efremov Institute of Electrophysical Apparatus); Dr BONDARCHUK, Eduard (Efremov Institute of Electrophysical Apparatus); Dr SOKOLOV, Mikhail (National Research Centre 'Kurchatov Institute', Institute of Tokamak Physics); Dr FILATOV, Oleg (Efremov Institute of Electrophysical Apparatus); Dr KHVOSTENKO, Petr (National Research Centre 'Kurchatov Institute', Institute of Tokamak Physics); Dr BELYAKOV, Valeriy (Efremov Institute of Electrophysical Apparatus); Dr KRYLOV, Vyacheslav (Efremov Institute of Electrophysical Apparatus)

Presenter: Mr AZIZOV, Englen (Russian Federation)

Session Classification: New Devices & Technology