

Contribution ID: 634

Type: Poster

Theoretical Model of ITER High Resolution H-Alpha Spectroscopy for a Strong Divertor Stray Light and Validation against JET-ILW Experiments

Thursday, 16 October 2014 08:30 (4 hours)

Theoretical model suggested for ITER H-alpha High-Resolution Spectroscopy (HRS) is validated against recent JET ITER-like wall (ILW) experiments. The model assumes reconstruction of neutral hydrogen isotopes density in the SOL, and evaluation of the recycling flux from the main chamber first wall, via solving a multiparametric inverse problem with allowance for (i) strong divertor stray light (DSL) on the in-vessel lines-ofsight (LoS), (ii) substantial deviation of neutral atom velocity distribution function from a Maxwellian in the SOL, (iii) data for direct observation of divertor. The developed "synthetic"Balmer-alpha diagnostic is tested on the example of data from the SOLPS4.3 (B2-EIRENE) code predictive modeling of the flat-top of Q=10 inductive operation of ITER. The JET-ILW HRS data on resolving the power at deuterium spectral line D-alpha with direct observation of the divertor from the top and with observation of the inner wall along tangential and radial LoS from equatorial ports are analyzed. These data allow to evaluate the spectrum of the DSL and the signal-to-background ratio for D-alpha light emitted from the far SOL and divertor in JET ILW. The results support the expectation of a strong impact of the DSL upon the H-alpha (and Visible Light) Spectroscopy Diagnostic in ITER.

This work is supported by the RF State Corporation ROSATOM and EURATOM, and carried out within the framework of the European Fusion Development Agreement. The views and opinions expressed herein do not necessarily reflect those of the European Commission and ITER Organization.

Paper Number

EX/P5-20

Country or International Organisation

Russian Federation

Primary author: Dr KUKUSHKIN, Alexander B. (NRC Kurchatov Institute, Russia)

Co-authors: Mr GORSHKOV, Alexei (NRC Kurchatov Institute, Russia); Dr KUKUSHKIN, Andrei S. (ITER Organization); Dr ALEKSEEV, Andrey (NRC Kurchatov Moscow, Russia); Mr VUKOLOV, Dmitry (NRC Kurchatov Institute, Russia); Dr VESHCHEV, Evgeny (ITER Organization); Dr VUKOLOV, Konstantin (NRC Kurchatov Institute, Russia); Prof. VON HELLERMANN, Manfred (ITER Organization); Dr LEVASHOVA, Maria (NRC Kurchatov Institute, Russia); Dr STAMP, Michael (Culham Science Centre, UK); Dr KADOMTSEV, Mikhail (NRC Kurchatov Institute, Russia); Dr BREZINSEK, Sebastijan (Forschungszentrum Jülich); Dr LISGO, Steven (ITER Organization); Prof. LISITSA, Valery (NRC Kurchatov Institute, Russia); Dr KOTOV, Vladislav (Forschungszentrum Jülich, Germany); Dr NEVEROV, Vladislav (NRC Kurchatov Institute, Russia)

Presenter: Dr KUKUSHKIN, Alexander B. (NRC Kurchatov Institute, Russia)

Session Classification: Poster 5